U.S. LARGE SYSTEMS USER REQUIREMENTS

1991

About INPUT

INPUT provides planning information, analysis, and recommendations for the information technology industries. Through market research, technology forecasting, and competitive analysis, INPUT supports client management in making informed decisions.

Subscription services, proprietary research/consulting, merger/acquisition assistance, and multiclient studies are provided to users and vendors of information systems and services. INPUT specializes in the software and services industry which includes software products, systems operations, processing services, network services, systems integration, professional services, turnkey systems, and customer services. Particular areas of expertise include CASE analysis, information systems planning, and outsourcing.

Many of INPUT's professional staff members have more than 20 years' experience in their areas of specialization. Most have held senior management positions in operations, marketing, or planning. This expertise enables INPUT to supply practical solutions to complex business problems.

Formed as a privately held corporation in 1974, INPUT has become a leading international research and consulting firm. Clients include more than 100 of the world's largest and most technically advanced companies.

INPUT OFFICES

North America

San Francisco 1280 Villa Street Mountain View, CA 94041-1194 Tel. (415) 961-3300 Fax (415) 961-3966

New York Atrium at Glenpointe 400 Frank W. Burr Blvd. Teaneck, NJ 07666 Tel. (201) 801-0050 Fax (201) 801-0441

Washington, D.C. INPUT, INC. 1953 Gallows Road, Suite 560 Vienna, VA 22182 Tel. (703) 847-6870 Fax (703) 847-6872

International

London
INPUT LTD.
Piccadilly House
33/37 Regent Street
London SW1Y 4NF, England
Tel. (071) 493-9335 Fax (071) 629-0179

Paris INPUT SARL 24, avenue du Recteur Poincaré 75016 Paris, France Tel. (33-1) 46 47 65 65 Fax (33-1) 46 47 69 50

Frankfurt INPUT LTD. Sudetenstrasse 9 D-6306 Langgöns-Niederkleen, Germany Tel. (0) 6447-7229 Fax (0) 6447-7327

Tokyo INPUT KK Saida Building, 4-6 Kanda Sakuma-cho, Chiyoda-ku Tokyo 101, Japan Tel. (03) 3864-0531 Fax (03) 3864-4114

U.S. LARGE SYSTEMS USER REQUIREMENTS

1991



Published by INPUT 1280 Villa Street Mountain View, CA 94041-1194 U.S.A.

Customer Service Program (CSP)

U.S. Large Systems User Requirements, 1991

Copyright ©1991 by INPUT. All rights reserved. Printed in the United States of America. No part of this publication may be reproduced or distributed in any form or by any means, or stored in a data base or retrieval system, without the prior written permission of the publisher.

Table of Contents

I	Introduction	I-1
	A. Scope	I-1
	B. Methodology	I-2
	C. Interpretation of Data	I-4
	D. Data Presented	I-4
П	Large Systems Summary	П-1
Ш	Vendor Performance Data	Ш-1
	A. Amdahl	III-1
	B. BULL	III-14
	C. IBM 309X	III-27
	D. IBM 308X	III-40
	E. NCR	III-53
IV	Summary Charts	IV-1
Appendix	A. Questionnaire	A-1

Exhibits

I -1	User Sample by Vendor	I-1
-2	User Sample by Industry Sector	I-3
П -1	Contract Coverage—Large Systems	II-2
	Service Vendor Selection Criteria—Large Systems	II-3
	Hardware Maintenance Provider—Large Systems	II-4
	Reasons IMO Not Used—Large Systems	II-5
	Reasons for IMO Use—Large Systems	П-6
	Maintenance Contract Terms—Large Systems	II-7
-6		II-7
	Systems	
-7	System Failure Rates—Large Systems	II-8
	Hardware Service Required versus Received—Large	II-9
	Systems	
-9	Software Maintenance Provider—Large Systems	II-10
-10	System Software Maintenance Contract Terms—Large	II-10
	Systems	
-11	System Software Problem Resolution—Large Systems	II-11
-12	System Software Support Required versus Received—	II-12
	Large Systems	
	Ancillary Services—Large Systems	II-13
	Multivendor Services—Large Systems	II-14
-15	Discounts—Large Systems	II-14
III -A-1	Contract Covere as Amdehl	TH 2
	Contract Coverage—Amdahl Service Vendor Selection Criteria—Amdahl	III-2 III-3
	Hardware Maintenance Provider—Amdahl	III-4
	Reasons IMO Not Used—Amdahl	III-4 III-5
	Maintenance Contract Terms—Amdahl	III-6
	System Availability Performance Analysis—Amdahl	III-6
	System Failure Rates—Amdahl	III-7
	Hardware Service Required versus Received—Amdahl	III-8
	Software Maintenance Provider—Amdahl	III-9

Exhibits (Continued)

1 1		System Software Maintenance Contract Terms—Amdahl System Software Problem Resolution—Amdahl	III-10 III-10
		System Software Problem Resolution—Amdam System Software Support Required versus Received— Amdahl	III-11
	-A-13	Ancillary Services—Amdahl	III-12
		Multivendor Services—Amdahl	III-13
	-A-15	Discounts—Amdahl	III-13
	-B-1	Contract Coverage—BULL	Ш-15
	-B-2	Service Vendor Selection Criteria—BULL	III-16
	-B-3	Hardware Maintenance Provider—BULL	III-17
	-B-4	Reasons IMO Not Used—BULL	III-18
	-B-5	Maintenance Contract Terms—BULL	III-19
		System Availability Performance Analysis—BULL	III-19
		System Failure Rates—BULL	III-20
		Hardware Service Required versus Received—BULL	III-21
	-B-9	Software Maintenance Provider—BULL	III-22
		System Software Maintenance Contract Terms—BULL	III-22
		System Software Problem Resolution—BULL	III-23
,	-B-12	System Software Support Required versus Received—BULL	III-24
	-B-13	Ancillary Services—BULL	III-25
	-B-14	Multivendor Services—BULL	III-26
	-B-15	Discounts—BULL	III-26
	-C-1	Contract Coverage—IBM 309X	Ш-28
	-C-2	Service Vendor Selection Criteria—IBM 309X	III-29
	-C-3	Hardware Maintenance Provider—IBM 309X	III-30
	-C-4	Reasons IMO Not Used—IBM 309X	III-31
	-C-5	Maintenance Contract Terms—IBM 309X	III-32
	-C-6	System Availability Performance Analysis—IBM 309X	III-32
		System Failure Rates—IBM 309X	III-33
	-C-8	Hardware Service Required versus Received—IBM 309X	III-34
	-C-9	Software Maintenance Provider—IBM 309X	III-35
•	-C-10	System Software Maintenance Contract Terms—IBM 309X	III-35
•	-C-11	System Software Problem Resolution—IBM 309X	III-36
		System Software Support Required versus Received—IBM 309X	III-37
	-C-13	Ancillary Services—IBM 309X	III-38
		Multivendor Services—IBM 309X	III-39
			0)

iii

Exhibits (Continued)

Ш	-C-15	Discounts—IBM 309X	III-39
	-D-1	Contract Coverage—IBM 308X	III-40
	-D-2	Service Vendor Selection Criteria—IBM 308X	III-41
	-D-3	Hardware Maintenance Provider—IBM 308X	III-42
	-D-4	Reasons IMO Not Used—IBM 308X	III-43
	-D-4A	Reasons for IBM Use—IBM 308X	I∏-44
	-D-5	Maintenance Contract Terms—IBM 308X	III-45
	-D-6	System Availability Performance Analysis—IBM 308X	III-45
		System Failure Rates—IBM 308X	III-46
		Hardware Service Required versus Received— IBM 308X	III-47
	-D-9	Software Maintenance Provider—IBM 308X	IⅡ-48
	-D-10	System Software Maintenance Contract Terms—IBM 308X	III-48
	-D-11	System Software Problem Resolution—IBM 308X	III-49
	-D-12	System Software Support Required versus Received—IBM 308X	III-50
	-D-13	Ancillary Services—IBM 308X	III-51
	-D-14	Multivendor Services—IBM 308X	III-52
	-D-15	Discounts—IBM 308X	III-52
	-E-1	Contract Coverage—NCR	III-54
	-E-2	Service Vendor Selection Criteria—NCR	III-55
	-E-3	Hardware Maintenance Provider—NCR	III-56
	-E-4	Reasons IMO Not Used—NCR	III-57
	-E-5	Maintenance Contract Terms—NCR	III-58
	-E-6	System Availability Performance Analysis—NCR	Ш-58
	-E-7	System Failure Rates—NCR	III-59
	-E-8	Hardware Service Required versus Received—NCR	III-60
	-E-9	Software Maintenance Provider—NCR	III-61
	-E-10	System Software Maintenance Contract Terms—NCR	III-61
	-E-11	System Software Problem Resolution—NCR	III-62
	-E-12	System Software Support Required versus Received—NCR	III-63
	-E-13	Ancillary Services—NCR	III-64
	-E-14	Multivendor Services—NCR	III-65
		Discounts—NCR	III-65

Exhibits (Continued)

IV	-1	Large Systems Vendor Performance—	IV-2
		System Interruptions	
	-2	Large Systems Vendor Performance—	IV-2
		System Availability	
	-3	Large Systems Vendor Performance—Response Time	IV-3
	-4	Large Systems Vendor Performance—Repair Time	IV-3
,	-5	Large Systems Vendor Performance—	IV-4
		System Availability Satisfaction	
	-6	Large Systems Vendor Performance—	IV-5
		Response Time Satisfaction	
•	-7	Large Systems Vendor Performance—	IV-6
		Repair Time Satisfaction	
	-8	Large Systems Vendor Performance—	IV-6
		Hardware Maintenance Required versus Received	
	-9	Large Systems Vendor Performance—	IV-7
		Hardware Maintenance Satisfaction	
	-10	Large Systems Vendor Performance—	IV-7
		Software Support Required versus Received	
	-11	Large Systems Vendor Performance—	IV-8
		Software Support Satisfaction	

US LAI	GE Systems FeNEW 1991 Equirements 6.2
AUTHOR	
TITLE	
DATE LOANED	BORROWER'S NAME
BN9	CAT. No. 23-108 PRINTED IN U.S.A



Introduction





Introduction

This report presents large systems users' requirements for and satisfaction with the service and support they receive from their service vendor. The report also analyzes users' requirement for services ancillary to the actual maintenance of the computer system.

A

Scope

The report examines the service requirements of users of the following large systems: Amdahl, BULL, IBM 308X, IBM 309X, and NCR. Exhibit I-1 provides a breakdown of the manufacturers included in the sample.

EXHIBIT I-1

User Sample by Vendor

Vendor	Completed Interviews
Amdahl	35
BULL	33
IBM 308X	30
IBM 309X	30
NCR	35
Total Sample	163

Each vendor/product analysis includes:

- · Service contract coverage, both days per week and hours per day
- · Users' criteria for selecting a service vendor
- Service contract type
- Type of vendor providing service
- · Perceptions of independent maintenance organizations
- Traditional areas of system availability, response time, repair time and aspects of hardware service
- Systems software support areas, type of vendor, type of contract
- Aspects of systems software support
- Response/fix time for software problems
- Opportunities for ancillary services
- Current use of discounts and willingness of users to investigate discounts not currently received

The report is presented in four chapters. Chapter I provides an introduction to the report, the scope, methodology, interpretation of data, and data presentation. Chapter II is an overview of the large systems sample. Chapter III provides individual analyses by product vendor. Wherever possible, comparisons will be made to the information presented in the report U.S. Large Systems User Requirements, 1990, or to the sample as a whole. Chapter IV provides comparative exhibits, examining each area by vendor. Appendix A provides the questionnaire used for the user research.

R

Methodology

For this report, INPUT surveyed 163 users of large systems in the U.S as to their requirement for and satisfaction with the service they receive. Each interview was conducted by telephone or fax using the questionnaire in Appendix A. INPUT targets the appropriate systems executive with responsibility for coordinating the maintenance of the system. Typical titles include Data Processing Manager, IS Director or Manager, Data Center Manager, or Vice President of IS. The companies interviewed represent a variety of industries, as shown in Exhibit I-2.

User Sample by Industry Sector

Industry	Respondents
Manufacturing	38
Distribution	12
Transportation	4
Utilities	5
Banking/Finance	16
Education	18
Insurance	7
Telecommunications	1
Services	22
Medical	12
Federal Government	12
State/Local Government	12
Other	4
Total	163

INPUT emphasizes the value of telephone interviews over other types of research-gathering techniques because of the ability of the interviewer to focus the respondent and control the source of information and the size of the sample. The questionnaire was faxed to many respondents, who wished to see the full questionnaire before answering it.

After the data gathering process was complete, the information is entered into a dBase III Plus (Ashton-Tate) data base and analyzed using ABstat (Anderson Bell). Quality control measures are applied at each step to ensure data integrity.

C

Interpretation of Data

Mean values are used throughout the tabulated data presented in this report. These means refer to the mean value of user ratings for specific aspects of service performance, or the mean value of a range of service performance aspects required or received by the respondents.

In this report, the ratings for service requirements ranged from 1 to 10, with 1 equal to a very low requirement or satisfaction and 10 being an extremely high requirement or satisfaction. In some cases, 0 was used to denote no requirement for service or a service not received at all from the vendor.

For the purposes of this report, the following definitions apply:

- System availability refers to the time the system is actually available for processing, disregarding non-critical peripherals outages or normal preventative maintenance down time.
- Response time is the time between the placement of a service call to the vendor and the arrival of the service engineer on-site.
- Repair time relates to the time the service engineer spends working on the system until it is fully operational.
- Difference is a comparison of the mean service required with the mean service received. A negative number denotes a shortfall in the service received. A positive number denotes the mean service received exceeding the mean service required.
- Percent satisfied is based on a comparison of whether the service received met or exceeded service required for each individual respondent.
 A count is made of how many individuals had their requirements met or exceeded for that particular service requirement, which converts to the percent satisfied.

n

Data Presented

For each of the six user sections (Large Systems, Amdahl, BULL, IBM 308X, IBM 309X, and NCR) of this report, the following fifteen exhibits will be presented:

Exhibit 1 - Contract Coverage presents the days per week and hours per day of maintenance coverage as reported by the respondents.

Exhibit 2 - Service Vendor Selection Criteria analyzes the importance of certain criteria in selecting a service vendor.

Exhibit 3 - Hardware Maintenance Provider presents the reported sources of service used by the sample to provide required maintenance on their hardware. Multiple sources of hardware maintenance service are allowed.

Exhibit 4 - Reasons IMO Not Used present the reasons why users do not use an IMO as part of their maintenance plan for equipment.

NOTE: When applicable, a special Exhibit 4A (*Reasons for IMO Use*) is included to describe issues relating to why users have an independent maintenance organization as part of their maintenance plan.

Exhibit 5 - Maintenance Contract Terms provides information on the length of contract terms or types of maintenance contracts held by the sample.

Exhibit 6 - System Availability Performance Analysis examines the mean system availability, response time and repair time required by the sample; the system availability, response, and repair times received; and the percent of the users having their requirements met or exceeded.

Exhibit 7 - System Failure Rates are presented, giving the mean number of failures per year, and the mean percentages for the approximate causes of the failures.

Exhibit 8 - Hardware Service Required versus Received examines six individual aspects and overall hardware maintenance service to determine the level of service required, the level received, satisfaction with service and the percent of respondents having their requirements met or exceeded.

Exhibit 9 - *Software Maintenance Provider* presents the sources used by the sample to provide system software support. Multiple sources are recorded where applicable.

Exhibit 10 - System Software Maintenance Contract Terms presents the types of service contracts held by the respondents to support system software.

Exhibit 11 - System Software Problem Resolution provides information on the resolution of system software problems, on-site and over the phone. The exhibit also covers the percent of respondents that had their software support requirements met or exceeded in the issues of response time and fix time on software problems.

Exhibit 12 - System Software Support Required versus Received examines six aspects and overall system software support to determine the level of support required by the respondents, the level received, mean satisfaction with system software support and the percent of users having their requirements met or exceeded.

Exhibit 13 - Ancillary Services presents information on the current market for services ancillary to the maintenance function and the possibility for the expansion of these services. Information is presented on the number of respondents currently receiving these services, their mean requirement, mean level received, and the percent of respondents having their requirements met or exceeded.

Exhibit 14 - Multivendor Services examines the percent of respondents receiving multivendor services on their CPU, peripherals, and network products. The level of interest in multivendor services is also presented.

Exhibit 15 - Discounts presents the percent of respondents currently receiving discounts for reduced levels of service or special contractual arrangements and the interest in these discounts by those not receiving them at this time.



Large Systems Summary






Large Systems Summary

The overall 1991 large system sample consists of 163 users of Amdahl, BULL, IBM 308X, IBM 309X, and NCR large systems users. Data for the user group as a whole is presented with the following key highlights:

- A greater percentage of the users reported extended 7 X 24 coverage for their large systems than in past years.
- Service quality issues rated higher in mean importance when selecting a service vendor. In the mid- to late-1980s, price was considered more important; it is now ranking 7 out of 12 criteria, showing a shift to quality of service.
- A small number of users used an IMO as part of their service scheme, 11 out of 163. The main reasons an IMO was used were lower cost and single-source service.
- Overall there appears to be more of a requirement for ancillary services. Over 50% of the respondents expressed some level of requirement for ancillary services, with 38% to 68% of the users reported receiving some level of service. Users receiving service equal to or better than their requirement ranged from 53% to 91%.

Contract Coverage Large Systems


	Percent of Sample	
	1991	1990
Days Covered		
Monday - Friday Monday - Saturday Monday - Sunday	32 0 68	47 4 49
Hours Covered		
1 - 9 10 - 16 17 - 24	21 8 71	35 13 52




Hardware Maintenance Provider Large Systems

Provider	Percent of Mentions	Primary
Manufacturer	93	91
Dealer/Distributor	5	2
Independent Maintenance Organization	7	7
In-House	2	0
Other	0	0

Multiple Responses Allowed.





Maintenance Contract Terms Large Systems

Hardware Maintenance	Percent of Respondents
Warranty	3
Five Years	14
Three Years	14
One Year	52
Time and Materials	2
Other	14
None	1

EXHIBIT II-6

System Availability Performance Analysis Large Systems

	Mean Required	Mean Received	Percent Satisfied
System Availability (%)	97.1	97.9	70
Response Time (hrs.)	1.9	1.6	89
Repair Time (hrs.)	2.8	2.6	90

System Failure Rates Large Systems

Mean Failures Per Year 3.6

Causes of Failure (%)

Hardware 56

Systems Software 13

Applications Software 6

Other 25

Hardware Service Required versus Received Large Systems

	Mean Required	Mean Received	Mean Satisfaction	Percent Satisfied
Spares Availability	8.8	8.0	8.3	60
Engineer Skills	9.0	8.6	8.8	74
Documentation of Maintenance	7.1	7.3	8.1	84
Help Desk Support	7.6	7.4	7.8	79
Remote Diagnostics	7.4	7.5	7.8	81
Real-time Software Diagnostics	6.9	6.8	7.3	83
Overall Hardware Maintenance	9.1	8.8	8.9	73

Note: Scale 1-10, 1 = Lowest, 10 = Highest

Software Maintenance Provider Large Systems

Provider	Percent of Mentions
Hardware Manufacturer	82
Other Hardware Service Provider	13
Software Product Vendor	24
Value-Added Reseller (VAR)	5
In-House	53
Other	5

Multiple Responses Allowed.

EXHIBIT II-10

System Software Maintenance Contract Terms Large Systems

Software Maintenance	Percent of Respondents
Included in License Fee	35
Three-Year	3
One-Year	34
Custom	10
None	6
Don't Know	12

System Software Problem Resolution Large Systems

Solved by Phone (%) Elapsed Time (hrs.)	69 8.4
Other Problems	
Response Time	
 Required (mean hrs.) 	9.4
 Received (mean hrs.) 	9.2
 Percent Satisfied 	81
Fix Time	
 Required (mean hrs.) 	6.0
 Received (mean hrs.) 	7.3
 Percent Satisfied 	88

System Software Support Required versus Received Large Systems

	Mean Required	Mean Received	Mean Satisfaction	Percent Satisfied
Engineer Skills	8.6	7.8	8.1	60
Documentation	8.3	7.4	7.8	55
Software Installation	7.7	7.3	7.8	62
Provision of Updates	8.0	7.7	7.9	75
Operational Training	6.8	6.1	6.7	62
Software Remote Support	7.6	7.1	7.5	66
Software Support Overall	8.6	7.8	8.1	59

Note: Scale 1-10, 1 = Lowest, 10 = Highest

Ancillary Services Large Systems

	Number of Mentions Currently Contracted	Mean Level Required	Mean Level Received	Percent Satisfied	Number of Mentions Not Receiving But Required
Configuration Planning	95	6.5	7.3	78	25
Capacity Planning	86	6.6	6.7	60	29
Environmental Planning	88	6.0	6.7	78	30
Cabling	92	6.5	7.2	87	27
Software Evaluation	75	6.0	5.9	69	23
Maintenance-Related Training	89	5.9	6.3	80	26
Install/De-install/Moves	112	7.5	8.0	91	19
Consulting	95	6.0	6.3	75	18
Network Planning	72	6.2	6.3	59	24
Network Management	63	5.8	5.9	59	25
Disaster Recovery	68	6.6	6.1	67	27
Facilities Management	46	4.8	5.0	64	22
Problem Management	70	6.1	6.3	65	24
Applications Software Support	74	6.4	6.3	53	21

Multivendor Services Large Systems

Service on Other Manufacturers'	Percent Receiving	Interest in Three Years
CPUs	9	2.1
Peripherals	21	2.4
Network Products	18	2.5

Level of Interest

Single Point of Contact

3.4

Note: Scale 1 - 5, 1 = Lowest, 5 = Highest

EXHIBIT II-15

Discounts Large Systems


·	Percent Receiving	Mean Willingness to Receive
Multiyear	39	4.1
Prepayment	23	4.0
Call Screening/Problem Management	20	·4.1
Deferred Response	10	3.0

Note: Scale 1 - 10, 1 = Lowest, 10 = Highest



Vendor Performance Data





Vendor Performance Data

Chapter III presents the individual vendor/product analyses for Amdahl, BULL, IBM 308X, IBM 309X, and NCR large systems.

A


Amdahl

The Amdahl sample consisted of 35 users of the Amdahl 58XX and 59XX large systems. In the analysis of the Amdahl information, the following points are noteworthy:

- Service issues of quality, technical expertise, spare parts, and system availability rated highest in terms of evaluating service vendors. Price, which had been important in past years, appears to be of less importance.
- A relatively high percent (53%) of respondents reported having only a one-year contract with their service vendor, providing an opportunity for other vendors to court them on maintenance services.
- System availability seems to be just slightly less than the requirements of the users, with only 65% of the users receiving the required level of systems availability.
- The level of service for spares availability appears to have decreased, while the level required stayed about the same. The percent of respondents satisfied with spares availability is lower than that for other aspects of hardware service.
- The use of ancillary services from maintenance vendors has increased from the 1990 sample. Users report receiving levels of service meeting or exceeding their requirements for nine out of fourteen ancillary services.
- Multivendor services do not appear to have a great deal of importance with the Amdahl sample, with less than 17% of the respondents receiving any type of multivendor services.

Contract Coverage Amdahl


	Percent of Sample		
	1991	1990	
Days Covered			
Monday - Friday Monday - Saturday Monday - Sunday	3 0 97	7 0 93	
Hours Covered			
1 - 9 10 - 16 17 - 24	0 0 100	7 0 93	



Hardware Maintenance Provider Amdahl

Provider	Percent of Mentions	Primary
Manufacturer	100	100
Dealer/Distributor	3	0
Independent Maintenance Organization	0	0
In-House	0	0
Other	0	0

Multiple Responses Allowed.



Maintenance Contract Terms Amdahl

Hardware Maintenance	Percent of Respondents
Warranty	3
Five Years	3
Three Years	24
One Year	53
Time and Materials	0
Other	17
None	0

EXHIBIT III-A-6

System Availability Performance Analysis Amdahl

	Mean Required	Mean Received	Percent Satisfied
System Availability (%)	97.8	97.7	65
Response Time (hrs.)	1.4	1.2	93
Repair Time (hrs.)	2.0	2.2	93

System Failure Rates Amdahl

Mean Failures Per Year 4.3

Causes of Failure (%)

Hardware 42

Systems Software 15

Applications Software 8

Other 35

Sample Size: 34

Hardware Service Required versus Received Amdahl

	Mean Required	Mean Received	Mean Satisfaction	Percent Satisfied
Spares Availability	8.9	8.2	8.4	65
Engineer Skills	8.9	8.9	9.0	88
Documentation of Maintenance	7.4	7.8	8.1	85
Help Desk Support	7.7	8.1	7.9	91
Remote Diagnostics	8.2	8.2	8.2	88
Real-time Software Diagnostics	6.9	7.0	7.5	94
Overall Hardware Maintenance	9.1	8.9	9.0	82

Note: Scale 1-10, 1 = Lowest, 10 = Highest

Software Maintenance Provider Amdahl

Provider	Percent of Mentions
Hardware Manufacturer	62
Other Hardware Service Provider	56
Software Product Vendor	36
Value-Added Reseller (VAR)	4
In-House	75
Other	8

Multiple Responses Allowed.

System Software Maintenance Contract Terms Amdahl

Software Maintenance	Percent of Respondents
Included in License Fee	29
Three-Year	9
One-Year	29
Custom	11
None	11
Don't Know	11

EXHIBIT III-A-11

System Software Problem Resolution Amdahl

Solved by Phone (%) Elapsed Time (hrs.)	58 9.0
Other Problems	
Response Time Required (mean hrs.) Received (mean hrs.) Percent Satisfied	8.5 5.4 92
Fix Time • Required (mean hrs.) • Received (mean hrs.) • Percent Satisfied	5.1 4.9 100

System Software Support Required versus Received Amdahl

	Mean Required	Mean Received	Mean Satisfaction	Percent Satisfied
Engineer Skills	8.4	8.0	8.0	66
Documentation	8.4	7.6	7.8	55
Software Installation	7.2	7.3	7.9	67
Provision of Updates	7.7	8.0	8.0	81
Operational Training	6.2	6.3	6.6	71
Software Remote Support	6.7	6.3	6.6	7
Software Support Overall	9.0	8.0	8.1	56

Note: Scale 1-10, 1 = Lowest, 10 = Highest

Ancillary Services Amdahl

	Number of Mentions Currently Contracted	Mean Level Required	Mean Level Received	Percent Satisfied	Number of Mentions Not Receiving But Required
Configuration Planning	25	6.1	7.1	88	4
Capacity Planning	21	6.3	6.3	70	4
Environmental Planning	21	6.1	7.2	91	5
Cabling	23	6.6	7.6	91	3
Software Evaluation	14	5.1	5.0	· 71	4
Maintenance-Related Training	20	5.9	6.9	90	3
Install/De-install/Moves	25	7.6	7.9	88	2
Consulting	26	6.0	6.5	89	1
Network Planning	16	5.8	5.7	63	3
Network Management	14	5.4	5.5	79	3
Disaster Recovery	14	5.8	4.9	71	4
Facilities Management	7	5.1	4.3	86	3
Problem Management	14	6.5	6.7	71	3
Applications Software Support	9	6.3	6.3	67	6

Multivendor Services Amdahl

Service on Other Manufacturers'	Percent Receiving	Interest in Three Years
CPUs	9	2.0
Peripherals	17	2.3
Network Products	17	2.4

Level of Interest

Single Point of Contact

2.7

Note: Scale 1 - 5, 1 = Lowest, 5 = Highest

EXHIBIT III-A-15

Discounts Amdahl

	Percent Receiving	Mean Willingness to Receive
Multiyear	31	3.4
Prepayment	20	3.9
Call Screening/Problem Management	17	4.3
Deferred Response	· 4	2.6

Note: Scale 1 - 10, 1 = Lowest, 10 = Highest

B


BULL

The BULL sample consisted of 32 users of BULL DPS large systems. The following points appear significant in the BULL information:

- Service issues relating to the quality of service rated higher than contractual issues in selecting a service vendor.
- There do not appear to be any overwhelming reasons why BULL users do not use IMOs, as there were in the 1990 study. Although satisfaction with manufacturer was mentioned the most often (67%) it was not the high 79% of the 1990 sample.
- Spares availability received by the sample is much lower than the mean level of spares availability required, 6.7 and 8.5 respectively. Only 33% of the sample received spares availability that met or exceeded requirements. There was a difference of -1.0 in the 1990 sample, but with a higher mean satisfaction with spares reported.
- A higher number of respondents in 1991 reported receiving some type of ancillary services than did the 1990 user sample. Mean service levels required ranged from 4.1 to 6.1, with mean levels of service received ranging from 4.3 to 7.7. Only in disaster recovery was there a sizable difference between the mean level required (6.0) and the mean level received (4.4). There appears to be a high requirement for disaster recovery services from the users of BULL systems that is not being met.
- Single-point-of-contact mean level of interest appears to be fairly high—3.5 on a scale of 1-5.

Contract Coverage BULL

	Percent of Sample		
	1991	1990	
Days Covered			
Monday - Friday Monday - Saturday Monday - Sunday	79 0 21	90 5 5	
Hours Covered			
1 - 9 10 - 16 17 - 24	55 24 21	53 42 5	




Hardware Maintenance Provider BULL

Provider	Percent of Mentions	Primary
Manufacturer	94	91
Dealer/Distributor	12	6
Independent Maintenance Organization	3	3
In-House	0	0
Other	0	0

Multiple Responses Allowed.





Maintenance Contract Terms BULL

Hardware Maintenance	Percent of Respondents
Warranty	3
Five Years	3
Three Years	9
One Year	69
Time and Materials	0
Other	16
None	0

EXHIBIT III-B-6

System Availability Performance Analysis BULL

	Mean Required	Mean Received	Percent Satisfied
System Availability (%)	96	96.2	75
Response Time (hrs.)	2.0	2.4	70
Repair Time (hrs.)	2.5	3.0	89

System Failure Rates BULL

Mean Failures Per Year 4.3

Causes of Failure (%)

Hardware 67

Systems Software 11

Applications Software 6

Other 16

Sample Size: 33

Hardware Service Required versus Received BULL

	Mean Required	Mean Received	Mean Satisfaction	Percent Satisfied
Spares Availability	8.5	6.7	7.2	33
Engineer Skills	8.8	7.8	8.0	58
Documentation of Maintenance	6.4	6.7	7.1	78
Help Desk Support	7.2	6.5	6.9	66
Remote Diagnostics	6.8	6.7	6.7	74
Real-time Software Diagnostics	6.4	6.1	6.3	69
Overall Hardware Maintenance	9.0	8.2	8.2	55

Note: Scale 1-10, 1 = Lowest, 10 = Highest

Software Maintenance Provider BULL

Provider	Percent of Mentions
Hardware Manufacturer	84
Other Hardware Service Provider	4
Software Product Vendor	7
Value-Added Reseller (VAR)	8
In-House	52
Other	0

Multiple Responses Allowed.

EXHIBIT III-B-10

System Software Maintenance Contract Terms BULL

Software Maintenance	Percent of Respondents
Included in License Fee	27
Three-Year	0
One-Year	46
Custom	15
None	6
Don't Know	6

System Software Problem Resolution BULL

Solved by Phone (%) Elapsed Time (hrs.)	72 3.8
Other Problems	
Response Time • Required (mean hrs.) • Received (mean hrs.) • Percent Satisfied	8.2 6.4 79
Fix Time • Required (mean hrs.) • Received (mean hrs.) • Percent Satisfied	4.1 5.6 79

System Software Support Required versus Received BULL

	Mean Required	Mean Received	Mean Satisfaction	Percent Satisfied
Engineer Skills	8.6	8.0	8.4	63
Documentation	8.2	7.1	7.8	44
Software Installation	7.8	7.1	7.9	68
Provision of Updates	7.7	6.8	7.4	66
Operational Training	6.5	5.0	6.2	53
Software Remote Support	7.6	6.6	6.9	59
Software Support Overall	8.6	7.5	8.0	56

Note: Scale 1-10, 1 = Lowest, 10 = Highest

Ancillary Services BULL

	Number of Mentions Currently Contracted	Mean Level Required	Mean Level Received	Percent Satisfied	Number of Mentions Not Receiving But Required
Configuration Planning	15	6.1	7.7	87	8
Capacity Planning	12	6.0	6.9	75	9
Environmental Planning	12	5.1	5.5	75	7
Cabling	12	5.4	5.4	75	9
Software Evaluation	11	5.6	6.2	73	6
Maintenance-Related Training	14	5.4	7.0	79	9
Install/De-install/Moves	14	5.4	6.1	86	6
Consulting	13	5.0	5.5	77	7
Network Planning	12	5.6	6.3	67	6
Network Management	13	5.4	6.1	69	6
Disaster Recovery	7	6.0	4.4	57	8
Facilities Management	4	4.1	5.3	50	9
Problem Management	7	4.6	4.3	29	9
Applications Software Support	11	5.0	5.8	46	9

Multivendor Services BULL

Service on Other Manufacturers'	Percent Receiving	Interest in Three Years
CPUs	6	1.7
Peripherals	15	2.2
Network Products	15	2.2

Level of Interest

Single Point of Contact

3.5

Note: Scale 1 - 5, 1 = Lowest, 5 = Highest

EXHIBIT III-B-15

Discounts BULL

	Percent Receiving	Mean Willingness to Receive
Multiyear	17	4.0
Prepayment	21	3.8
Call Screening/Problem Management	7	3.5
Deferred Response	14	3.0

Note: Scale 1 - 10, 1 = Lowest, 10 = Highest

C


IBM 309X

The sample consisted of 30 users of IBM 309X large systems. In analyzing the data collected, the following points appear significant:

- As in other portions of the large systems sample, IBM 309X respondents value the service quality components higher than contractual items when evaluating a service vendor.
- Over 60% of the respondents reported having a contract of three or more years in duration. As a result, IBM 309X users are not as amenable as other user groups studied to considering service from a vendor other than IBM.
- Even though the mean system availability required is the same as the mean system availability received, on an individual basis, only 64% of the respondents reported receiving system availability that met or exceeded their requirements.
- Respondents in the 1991 sample reported a higher mean percent of system software problems that were resolved by phone than in the 1990 user group or in the 1991 sample as a whole. Mean elapsed time for problem resolution dropped from the 1990 respondent group.
- System software support appears to be lacking in meeting the requirements of the users. Mean ratings received were all lower than the mean ratings required for the six aspects of system software service and support overall. Only 52% of the respondents had their requirements met or exceeded for system software support overall.
- The provision of service ancillary to the maintenance function appears to be another area requiring improvement. Overall, mean requirements were higher than mean service levels received. Over 75% of the respondents reported having their requirements met in the areas of configuration planning, cabling, maintenance-related training, installation/deinstallation/moves, consulting, and problem management.
- The IBM 309X user group reported a higher mean level of interest in single-point-of-contact service than the large system respondents as a whole—4.0 versus 3.4.
- A higher percentage of users reported receiving a multi-year discount on their equipment service in 1991 than in 1990 or in the overall sample.

Contract Coverage IBM 309X


	Percent of Sample 1991
Days Covered	·
Monday - Friday Monday - Saturday Monday - Sunday	3 0 97
Hours Covered	
1 - 9 10 - 16 17 - 24	0 3 97



Hardware Maintenance Provider IBM 309X

Provider	Percent of Mentions	Primary
Manufacturer	100	97
Dealer/Distributor	7	3
Independent Maintenance Organization	3	0
In-House	0	0
Other	0	0

Multiple Responses Allowed.



Maintenance Contract Terms IBM 309X

Hardware Maintenance	Percent of Respondents
Warranty	7
Five Years	50
Three Years	11
One Year	18
Time and Materials	0
Other	10
None	4

EXHIBIT III-C-6

System Availability Performance Analysis IBM 309X

	Mean Required	Mean Received	Percent Satisfied
System Availability (%)	98.8	98.8	64
Response Time (hrs.)	1.8	1.0	100
Repair Time (hrs.)	2.1	1.4	91

System Failure Rates IBM 309X

Mean Failures Per Year 3.7

Causes of Failure (%)

Hardware 40

Systems Software 15

Applications Software 8

Other 37

Sample Size: 30

Hardware Service Required versus Received IBM 309X

	Mean Required	Mean Received	Mean Satisfaction	Percent Satisfied
Spares Availability	9.0	8.9	9.2	79
Engineer Skills	9.4	9.1	9.3	52
Documentation of Maintenance	7.9	7.7	8.7	73
Help Desk Support	8.2	8.3	8.9	90
Remote Diagnostics	8.7	8.8	9.2	67
Real-time Software Diagnostics	8.7	8.0	8.2	81
Overall Hardware Maintenance	9.3	9.3	9.4	90

Note: Scale 1-10, 1 = Lowest, 10 = Highest

Software Maintenance Provider IBM 309X

Provider	Percent of Mentions
Hardware Manufacturer	86
Other Hardware Service Provider	4
Software Product Vendor	46
Value-Added Reseller (VAR)	4
In-House	71
Other	4

Multiple Responses Allowed.

EXHIBIT III-C-10

System Software Maintenance Contract Terms IBM 309X

Software Maintenance	Percent of Respondents
Included in License Fee	63
Three-Year	0
One-Year	10
Custom	3
None	7
Don't Know	17

System Software Problem Resolution IBM 309X

Solved by Phone (%) Elapsed Time (hrs.)	74 11.0
Other Problems	
Response Time	
 Required (mean hrs.) 	10.2
 Received (mean hrs.) 	15.1
 Percent Satisfied 	70
Fix Time	
 Required (mean hrs.) 	7.5
 Received (mean hrs.) 	8.7
 Percent Satisfied 	84

System Software Support Required versus Received IBM 309X

	Mean Required	Mean Received	Mean Satisfaction	Percent Satisfied
Engineer Skills	8.7	7.7	8.0	56
Documentation	8.8	7.3	7.5	39
Software Installation	7.9	7.5	7.7	46
Provision of Updates	8.4	8.2	8.4	80
Operational Training	7.1	6.5	7.0	67
Software Remote Support	8.5	7.9	8.0	55
Software Support Overall	8.6	7.9	7.9	52

Note: Scale 1-10, 1 = Lowest, 10 = Highest

Ancillary Services IBM 309X

	Number of Mentions Currently Contracted	Mean Level Required	Mean Level Received	Percent Satisfied	Number of Mentions Not Receiving But Required
Configuration Planning	19	7.7	7.8	79	1
Capacity Planning	21	7.3	6.4	52	0
Environmental Planning	22	7.2	7.0	73	0
Cabling	20	7.9	8.1	90	0
Software Evaluation	16	6.8	6.1	67	0
Maintenance-Related Training	21	6.5	6.1	81	0
Install/De-install/Moves	29	9.1	9.0	88	0
Consulting	19	7.3	7.2	79	0
Network Planning	17	7.8	7.1	59	0
Network Management	13	7.5	5.9	42	0
Disaster Recovery	15	8.0	6.7	60	0
Facilities Management	10	7.9	7.1	60	0
Problem Management	14	7.0	6.7	79	0
Applications Software Support	12	7.8	6.8	58	0

Multivendor Services IBM 309X

Service on Other Manufacturers'	Percent Receiving	Interest in Three Years
CPUs	3	2.1
Peripherals	13	2.5
Network Products	17	2.8

Level of Interest

Single Point of Contact

4.0

Note: Scale 1 - 5, 1 = Lowest, 5 = Highest

EXHIBIT III-C-15

Discounts IBM 309X

	Percent Receiving	Mean Willingness to Receive
Multiyear	79	5.3
Prepayment	33	4.1
Call Screening/Problem Management	29	4.5
Deferred Response	9	2.3

Note: Scale 1 - 10, 1 = Lowest, 10 = Highest

D

IBM 308X


The sample consisted of 30 users of IBM 308X large systems. The following points are noteworthy in the 308X user group data analysis:

- Thirty percent of the 308X group reported using independent maintenance, as compared to 7% of the overall large systems group. This may be a result of the age of the 308X systems. A noticeable percentage of users who had reported having 308X systems in the past have upgraded to the IBM 309X or other newer systems.
- Major reasons for using independent maintenance include lower cost, single-source service, and more flexible contracts. The major reason for users not having IMO service was their satisfaction with the manufacturer for service.
- There was a great deal of diversity mentioned by users in the ancillary services area. Over 30% of respondents reported receiving one or more ancillary service from their maintenance vendor, with 75% receiving assistance with installation and moves. Overall, most mean received levels were greater than the mean level of service required. Less than 50% of the respondents receiving assistance with capacity planning and application software support had their requirements for service met or exceeded. Over 90% of the users receiving maintenance-related training and installation/moves received the level of service they required.

EXHIBIT III-D-1

Contract Coverage IBM 308X


	Percent of Sample 1991
Days Covered	
Monday - Friday Monday - Saturday Monday - Sunday	3 0 97
Hours Covered	
1 - 9 10 - 16 17 - 24	7 0 93




Hardware Maintenance Provider IBM 308X

Provider	Percent of Mentions	Primary
Manufacturer	70	67
Dealer/Distributor	3	3
Independent Maintenance Organization	30	27
In-House	3	3
Other	0	0

Multiple Responses Allowed.





Maintenance Contract Terms IBM 308X

Hardware Maintenance	Percent of Respondents
Warranty	0
Five Years	15
Three Years	26
One Year	40
Time and Materials	0
Other	19
None	0

EXHIBIT III-D-6

System Availability Performance Analysis IBM 308X

	Mean Required	Mean Received	Percent Satisfied
System Availability (%)	97.1	98.1	68
Response Time (hrs.)	1.6	1.2	100
Repair Time (hrs.)	3.9	4.0	85

System Failure Rates IBM 308X

Mean Failures Per Year 3.8

Causes of Failure (%)

Hardware 55

Systems Software 18

Applications Software 2

Other 25

Sample Size: 30

Hardware Service Required versus Received IBM 308X

	Mean Required	Mean Received	Mean Satisfaction	Percent Satisfied
Spares Availability	9.1	8.6	8.9	63
Engineer Skills	9.2	8.7	8.8	63
Documentation of Maintenance	6.9	7.3	8.5	83
Help Desk Support	7.7	7.5	8.4	74
Remote Diagnostics	7.2	7.5	9.2	81
Real-time Software Diagnostics	7.2	7.5	8.1	92
Overall Hardware Maintenance	9.2	9.0	9.0	73

Note: Scale 1-10, 1 = Lowest, 10 = Highest

Software Maintenance Provider IBM 308X

Provider	Percent of Mentions
Hardware Manufacturer	93
Other Hardware Service Provider	0
Software Product Vendor	21
Value-Added Reseller (VAR)	3
In-House	48
Other	10

Multiple Responses Allowed.

EXHIBIT III-D-10

System Software Maintenance Contract Terms IBM 308X

Software Maintenance	Percent of Respondents
Included in License Fee	50
Three-Year	7
One-Year	20
Custom	0
None	6
Don't Know	17

System Software Problem Resolution IBM 308X

Solved by Phone (%) Elapsed Time (hrs.)	65 12.0
Other Problems	
Response Time • Required (mean hrs.) • Received (mean hrs.) • Percent Satisfied	6.0 8.6 79
Fix Time • Required (mean hrs.) • Received (mean hrs.) • Percent Satisfied	6.0 10.8 93

System Software Support Required versus Received IBM 308X

	Mean Required	Mean Received	Mean Satisfaction	Percent Satisfied
Engineer Skills	8.9	7.2	7.6	48
Documentation	8.2	7.1	7.8	59
Software Installation	8.4	7.6	8.2	48
Provision of Updates	8.1	7.5	8.1	74
Operational Training	7.1	5.7	6.6	42
Software Remote Support	6.9	6.8	7.9	71
Software Support Overall	8.5	7.6	7.7	56

Note: Scale 1-10, 1 = Lowest, 10 = Highest

Ancillary Services IBM 308X

	Number of Mentions Currently Contracted	Mean Level Required	Mean Level Received	Percent Satisfied	Number of Mentions Not Receiving But Required
Configuration Planning	17	6.0	6.8	71	5
Capacity Planning	15	6.3	6.9	47	8
Environmental Planning	16	5.2	6.3	81	8
Cabling	20	6.0	6.7	84	4
Software Evaluation	17	5.9	5.4	59	3
Maintenance-Related Training	16	5.4	5.6	93	5
Install/De-install/Moves	24	7.2	7.7	96	3
Consulting	18	5.7	5.8	71	2
Network Planning	13	6.4	6.2	54	5
Network Management	13	5.9	5.8	54	5
Disaster Recovery	13	6.3	5.8	69	7
Facilities Management	10	4.6	4.5	56	1
Problem Management	13	6.4	6.2	69	5
Applications Software Support	18	6.1	4.9	47	2

Multivendor Services IBM 308X

Service on Other Manufacturers'	Percent Receiving	Interest in Three Years
CPUs	13	2.4
Peripherals	23	2.6
Network Products	20	2.6

Level of Interest

Single Point of Contact 3.5

Note: Scale 1 - 5, 1 = Lowest, 5 = Highest

EXHIBIT III-D-15

Discounts IBM 308X

	Percent Receiving	Mean Willingness to Receive
Multiyear	63	5.4
Prepayment	23	3.9
Call Screening/Problem Management	42	4.7
Deferred Response	8	3.5

Note: Scale 1 - 10, 1 = Lowest, 10 = Highest

E

NCR


The NCR user group consisted of 35 users of the NCR 93XX, 94XX, 95XX, and 10000 systems. There is currently a transition from the older 93XX, 94XX, and 95XX systems, since NCR has announced the discontinuation of these systems, to the 10000. In the NCR group, INPUT interviewed 13 users of the 10000 system and 22 users of 93XX, 94XX, and 95XX systems.

The following items appeared noteworthy in comparing the 1991 NCR user group with the 1991 NCR user sample as a whole and the 1990 NCR user group:

- A larger number of users reported moving to seven-day-per-week, twoand three-shift coverage on their equipment.
- Only one respondent reported using an IMO as the primary hardware servicer.
- The major reason given for not using an IMO by the rest of the group was satisfaction with the hardware manufacturer.
- The mean system availability received was higher than the mean availability required—98.6 versus 96.2—with 77% of users receiving system availability equal to or greater than the requirement.
- The mean rating for overall hardware maintenance received was lower than the mean rating required, but 71% of the users had their requirements met.
- An average of 79% of the system software problems were resolved by phone, in an average resolution time of 6.7 hours. In 1990 there was an average of 78% of the problems solved with an average elapsed time of 3 hours.
- The mean ratings for ancillary services received exceeded the mean ratings for services required, but most of the user requirements for services being met ranged from 44%-75%. The exceptions were that 95% of the users requiring installation/move services and 88% of users requiring cabling services had their requirements for these services met.

Contract Coverage NCR


	Percent of Sample	
	1991	1990
<u>Days Covered</u>		
Monday - Friday Monday - Saturday Monday - Sunday	67 0 33	86 5 9
Hours Covered		
1 - 9 10 - 16 17 - 24	44 13 43	86 0 14



Hardware Maintenance Provider NCR

Provider	Percent of Mentions	Primary
Manufacturer	97	97
Dealer/Distributor	0	0
Independent Maintenance Organization	3	3
In-House	6	0
Other	0	0

Multiple Responses Allowed.



Maintenance Contract Terms NCR

Hardware Maintenance	Percent of Respondents
Warranty	3
Five Years	3
Three Years	0
One Year	74
Time and Materials	0
Other	10
None	. 10

EXHIBIT III-E-6

System Availability Performance Analysis NCR

	Mean Required	Mean Received	Percent Satisfied
System Availability (%)	96.2	98.6	77
Response Time (hrs.)	2.5	2.1	88
Repair Time (hrs.)	3.3	2.6	94

System Failure Rates NCR

Mean Failures Per Year 2.0

Causes of Failure (%)

Hardware 79

Systems Software 8

Applications Software 3

Other 10

Sample Size: 34

Hardware Service Required versus Received NCR

	Mean Required	Mean Received	Mean Satisfaction	Percent Satisfied
Spares Availability	8.6	7.9	8.2	60
Engineer Skills	8.8	8.7	9.0	83
Documentation of Maintenance	6.9	7.2	8.2	97
Help Desk Support	7.2	6.8	7.5	75
Remote Diagnostics	6.2	6.4	7.3	80
Real-time Software Diagnostics	6.0	6.0	6.7	89
Overall Hardware Maintenance	9.1	8.8	9.0	71

Note: Scale 1-10, 1 = Lowest, 10 = Highest

Software Maintenance Provider NCR

Provider	Percent of Mentions
Hardware Manufacturer	82
Other Hardware Service Provider	3
Software Product Vendor	12
Value-Added Reseller (VAR)	6
In-House	24
Other	3

Multiple Responses Allowed.

EXHIBIT III-E-10

System Software Maintenance Contract Terms NCR

Software Maintenance	Percent of Respondents
Included in License Fee	9
Three-Year	0
One-Year	63
Custom	17
None	0
Don't Know	11

System Software Problem Resolution NCR

Solved by Phone (%) Elapsed Time (hrs.)	79 6.7
Other Problems	
Response Time • Required (mean hrs.) • Received (mean hrs.)	14.3 10.7
 Percent Satisfied 	82
Fix Time	
 Required (mean hrs.) 	7.3
 Received (mean hrs.) 	7.0
Percent Satisfied	77

System Software Support Required versus Received NCR

	Mean Required	Mean Received	Mean Satisfaction	Percent Satisfied
Engineer Skills	8.6	8.1	8.4	65
Documentation	8.0	7.6	8.3	77
Software Installation	7.4	7.1	7.4	74
Provision of Updates	8.1	7.8	7.9	74
Operational Training	7.1	6.9	7.2	74
Software Remote Support	8.3	7.9	8.1	71
Software Support Overall	8.5	8.1	8.4	71

Note: Scale 1-10, 1 = Lowest, 10 = Highest

Ancillary Services NCR

	Number of Mentions Currently Contracted	Mean Level Required	Mean Level Received	Percent Satisfied	Number of Mentions Not Receiving But Required
Configuration Planning	19	7.0	7.1	61	7
Capacity Planning	17	7.0	7.5	56	8
Environmental Planning	17	6.2	6.9	69	10
Cabling	17	6.9	7.6	88	11
Software Evaluation	17	6.4	6.7	75	10
Maintenance-Related Training	18	6.2	6.2	59	9
Install/De-install/Moves	20	7.1	8.5	95	8
Consulting	19	6.2	6.4	56	8
Network Planning	14	5.4	6.2	54	10
Network Management	10	5.2	6.4	44	11
Disaster Recovery	19	6.9	7.2	72	8
Facilities Management	15	4.0	4.1	64	9
Problem Management	22	6.1	6.5	62	7
Applications Software Support	24	7.0	7.2	52	4

Multivendor Services NCR

Service on Other Manufacturers'	Percent Receiving	Interest in Three Years
CPUs	14	2.3
Peripherals	34	2.7
Network Products	23	2.7

Level of Interest

Single Point of Contact

3.4

Note: Scale 1 - 5, 1 = Lowest, 5 = Highest

EXHIBIT III-E-15

Discounts NCR

	Percent Receiving	Mean Willingness to Receive
Multiyear	13	3.9
Prepayment	20	4.2
Call Screening/Problem Management	7	4.0
Deferred Response	13	3.6

Note: Scale 1 - 10, 1 = Lowest, 10 = Highest



Summary Charts





Summary Charts

In this chapter, INPUT presents a summary of selected data from the 1991 large systems user requirements study. These summary charts allow a vendor-by-vendor comparison of service performance. Data is presented on factors that can be compared on an absolute basis.

The key to an analysis of customer satisfaction is the ability of the vendor to meet or exceed the expectations of the customer. Even the highest rating is lacking if the user's requirement exceeds the rating.

In these charts, the following definitions apply:

- Difference is a comparison of the mean service required to the mean service received. A negative number denotes a shortfall in the service received. A positive number denotes that the mean service received exceeded the mean service required.
- Percent satisfied is based on whether the service received met or exceeded service required for each individual respondent. A count is made of how many individuals had their requirements met or exceeded for that particular service requirement, which converts to the percent satisfied.

EXHIBIT IV-1

Large Systems Vendor Performance System Interruptions

	Mean	Percent Caused By:			
Vendor	Number Per Year	Hardware	System Software	Applications Software	Other
Amdahl	4.3	42	15	8	35
BULL	4.3	67	11	6	16
IBM 309X	3.7	40	15	8	37
IBM 308X	3.8	55	18	2	25
NCR	2.0	79	8	3	10
All Vendors	3.6	56	13	6	25

EXHIBIT IV-2

Large Systems Vendor Performance System Availability

	System Availability (Percent)			
Vendor	Required	Received	Difference	
Amdahl	97.8	97.7	-0.1	
BULL	96.0	96.2	0.2	
IBM 309X	98.8	98.8	0.0	
IBM 308X	97.1	98.1	1.0	
NCR	96.2	98.6	2.4	
All Vendors	97.1	97.9	0.8	

EXHIBIT IV-3

Large Systems Vendor Performance Response Time


	Response Time (Hours)				
Vendor	Required	Required Received Difference			
Amdahl	2.0	2.2	-0.2		
BULL	2.5	3.0	-0.5		
IBM 309X	2.1	1.4	0.7		
IBM 308X	3.9	4.0	-0.1		
NCR	3.3	2.6	0.7		
All Vendors	2.8	2.6	0.2		


EXHIBIT IV-4

Large Systems Vendor Performance Repair Time

	Repair Time (Hours)			
Vendor	Required	Received	Difference	
Amdahl	1.4	1.2	0.2	
BULL	2.0	2.4	-0.4	
IBM 309X	1.8	1.0	0.8	
IBM 308X	1.6	1.2	0.4	
NCR	2.5	2.1	0.4	
All Vendors	1.9	1.6	0.3	

EXHIBIT IV-5








EXHIBIT IV-8

Large Systems Vendor Performance Hardware Maintenance Required versus Received

Vendor	Mean Required	Mean Received	Mean Satisfaction
Amdahl	9.1	8.9	9.0
BULL	9.0	8.2	8.2
IBM 309X	9.3	9.3	9.4
IBM 308X	9.2	9.0	9.0
NCR	9.1	8.8	9.0
All Vendors	9.1	8.8	8.9





EXHIBIT IV-10

Large Systems Vendor Performance Software Support Required versus Received

Vendor	Mean Required	Mean Received	Mean Satisfaction
Amdahl	9.0	8.0	8.1
BULL	8.6	7.5	8.0
IBM 309X	8.6	7.9	7.9
IBM 308X	8.5	7.6	7.7
NCR	8.5	8.1	8.4
All Vendors	8.6	7.8	8.1



Appendix





Appendix: Questionnaire

A.	GENERAL
1.	What is the make and model of the main computer on your site and how many units do you have?
	• Make
	• Model
	• Units
2.	Are you the person responsible for this system?
	If not, then who would be the correct person?
	Name of person responsible
	Phone Number
3.	Do you have another system? What is the make and model number of that system, and how many units do you have?
	• Make
	• Model
	• Units
	All of the following questions that I am going to ask you are related to your system.

1.	Could you please rate the importance of the following criteria in selecting your service
	vendor, on a scale of 1 to 10 (1=Low, 10=High)?

	<u>Criteria</u>	Ratin	g		
a)	Price		-		
b)	Quality of service		-		
c)	Guaranteed system availability level		-		
d)	Guaranteed availability of spare parts	-	-		
e)	Technical expertise		-		
f)	Response time on a service call		-		
g)	Availability of software support		-		
h)	Ability to provide other services		-		
i)	Contract flexibility		-		
j)	Ability to maintain open systems		-		
k)	Ability to service other products		-		
1)	Vendor reputation		-		
SE	RVICE VENDOR SELECTION				
	ould like to ask you some questions about mputer system.	the bas	ic hardware maintenance of your		
	Would you please tell me who services your system hardware? Who is the primary service vendor? (check one)				
(Pl	(Please circle appropriate service provider type; multiple answers are allowed.) Primary				
٠	Manufacturer	Y/N			
•	Dealer/distributor	Y/N			
•	Independent maintenance company	Y/N			
•	Own company	Y/N			

B.

5.

Y/N

Other _____

If the respondent answered YES to independent maintenance, continue with question 6A. If not, go to question 6B.

6A. Your system, or part of it, is serviced by an independent maintenance company. Could you tell me the reason why you use independent maintenance?

(Please circle appropriate answer; multiple answers are allowed.)

•	Lower cost	Y/N
---	------------	-----

(Go to question 7)

6B. You do not use an independent maintenance company. What is the reason for this?

(Please circle appropriate answer; multiple answers are allowed.)

•	Satisfied with	manufacturer	Y/1	N
---	----------------	--------------	-----	---

7.	What maintenance coverage do you receive on this CPU:				
	a.	How many days per week?			
	b.	b. How many hours per day?			
		· · · · · ·		e contract do you currently have on the main	
	٠.	part of your system?		e contract do you currently have on the main	
	(P	lease circle appropriate answe	er; only (ONE answer allowed.)	
	•	Warranty	1		
	•	Five years	2		
	•	Three years	3		
	•	One year	4		
	•	Time and Materials	5		
	•	Other	6	i	
	•	None	7		
8.		over the last 12 months, how many system interruptions (system failures) did you have er month? or per year?			
	Ar	And what percentage of these system failures were due to:			
	На	rdware		%	
	Sy	stems software		%	
	Ap	pplications software		%	
	Ot	her (i.e., power failure)		%	
	(Pl	lease check that percentages a	dd up to	100%)	
9.	ho	urs that the system is operatio	nal (disrequire?	Y as the percentage of your normal working egarding non-critical peripheral outages), what What is the percentage actually received over	
	•	Required%			
	•	Received%			

10.	Defining HARDWARE RESPONSE TIME as the time it takes between reporting a fault and the arrival of the service engineer on site, in working hours, what response time (in hours) do you require, and what did you actually experience as an average over the last twelve months?				
	RequireHours				
	• ExperiencedHours				
11.	If REPAIR TIME is defined as the time taken to get the system fully operational from the time the engineer arrives on site, what time do you require (in working hours) and what time did you experience during the last twelve months?				
	• RequireHours				
	• ExperiencedHours				
12.					
	Required Received Satisfaction				
	Spares Availability				
	• Engineer Skills				
	Documentation of Maintenance				
	Help Desk Support				
	Remote Diagnostics				
	Real-time Software Diagnostics				
	Overall Hardware Maintenance				
13.	If possible, I would like you to provide some information on hardware maintenance pricing.				
	a) What percentage price increase or decrease did you pay for hardware maintenance in the year 1990?				
	• Increase%				
	• Decrease%				
	• No Change Y/N (Circle)				

O)		in percentage terms per year?				
	•	Increase	%			
	•	Decrease	%			

C. SOFTWARE SUPPORT

No Change

I would like to ask you some questions now regarding the software service that you receive. These questions relate to system software only—NOT APPLICATIONS SOFTWARE.

(Circle)

14A. Who supports your systems software?

(Please circle appropriate answer; multiple answers allowed.)

Y/N

•	Hardware Manufacturer	Y/N
•	Other Hardware Service Provider	Y/N
	(Specify)	
•	Software Product Vendor	Y/N
•	Value-Added Reseller (VAR)	Y/N
•	In-house	Y/N
•	Other (Specify)	Y/N
•	Do not know	Y/N

14B.	3. What type of systems software support contract do you currently have?		
	(Please circle appropriate answer. Only ONE answer allowed.)		
	•	Support included in software license fee	1
	•	Three-year contract	2
	•	One-year contract	3
	•	Ad hoc/custom	4
	•	None	5
	•	Do not know	9
15.	Wage	hat percentage of systems software probleme, how long does this take in elapsed time?	as are solved by telephone, and, on aver-
	•	Solved by Phone%	
	•	Elapsed TimeHours	
16.	For those problems that are NOT possible to solve over the telephone, what RESPONSE TIME would you find acceptable, and what time (on average and in working hours) have you experienced over the last twelve months? (Take RESPONSE TIME to mean from the time the problem is reported to the arrival of the engineer on site.)		
	•	AcceptableHours	
	•	ExperiencedHours	
17.	If FIX TIME is defined as the time taken to get the system software fully operational from the arrival of the engineer on site, then what time (in working hours) do you find acceptable, and what did you experience over the last twelve months?		
	•	AcceptableHours	
	• ExperiencedHours		

I would like to go through a list of aspects of SYSTEMS SOFTWARE SUPPORT and 18. ask you to give an IMPORTANCE or REQUIRED rating of the aspect, a RECEIVED rating, and a SATISFACTION with service received rating for each. (Scale 1-10)

		Required	Received	Satisfaction
•	Software Engineer Skills Level			
•	Software Documentation			
•	Software Installation			
•	Provision of Updates			
•	Operational Training			
•	Software Remote Support			
•	Software Support Overall			
	possible, I would like you to cing.	provide some	information on	systems software support
a)	What percentage price incresupport in the year 1990?	ease or decreas	e did you pay f	or systems software
	T.,	CT .		

- - Increase
 - Decrease
 - No Change Y/N (Circle)
 - b) What do you expect the changes for systems software support to be in the future, in percentage terms per year?
 - Increase
 - Decrease
 - No Change Y/N (Circle)

19.

D. ANCILLARY SERVICES

I would like to discuss with you now services beyond normal maintenance. I am particularly interested in obtaining your views on other services or modified current service offerings that your service suppliers could provide that would help to improve the running of your computer systems.

20. On a scale of 1-10, could you rate your requirement for these services and what you are now receiving. (Scale 1-10; not required/receiving = 0)

		(a) Require (1-10)	(b) Received (1-10)
•	Configuration Planning		
•	Capacity Planning		
•	Environmental Planning		
•	Cabling		
•	Software Evaluation		
•	Maintenance Related Training		
•	Installation/De-installation/Moves		
•	Consulting		
•	Network Planning		
•	Network Management		
•	Disaster Recovery		
•	Facilities Management		
•	Problem Management		
•	Applications Software Support		

21.	How important is it that your service vendor communicates with you regularly and effectively to advise you of, for example:				
	The status of your systemPossible problems				
	- Repair plans				
	Availability of spare partsRoutine visits				
	- Hardware and software changes				
indic	ates	ou please rate your requirement for this communication of a low requirement or communication received and 10 is dication received.			
	•	Required			
	•	Received			
22a.	Do you currently receive any of the following multivendor services from your service provider? (Circle)				
	a.	Service on other manufacturer's CPUs?	Y/N		
		Service on other manufacturer's peripherals?	Y/N		
	c.	Service on other manufacturer's network products?	Y/N		
22b.		case rate on a scale of 1-5 how important these services wars for you. $(1 = \text{no interest and } 5 = \text{high interest})$	ould be in the next three		
			(1-5)		
		Service on other manufacturer's CPUs?			
		Service on other manufacturer's peripherals?			
	c.	Service on other manufacturer's network products?			
22c.	On	a scale of 1-5, what would be your level of interest in a 'service arrangement?	'single-point-of-contact''		
	(1	= no interest, 5 = high interest)			

A-10

23a. Do you currently receive any of the following discounts off your service pricing?

	(a) Y/N	(b) LOI (1-10)	
Multi-year			
Prepayment			
Call Screening/ Problem Mana			
Deferred Respo	onse		
Other			
And, if you couproviding, what	ld choose one addi would that be?	tional service that you	r vendor is not currentl
And, if you couproviding, what	ld choose one addi would that be?	tional service that you	r vendor is not currentl
And, if you couproviding, what	ld choose one addi would that be?	tional service that you	r vendor is not currentl

This completes the questionnaire. I would like to thank you on behalf of INPUT for helping us to complete this survey. To express our appreciation for your time, we will be sending you a "Thank You" package containing a summary of the results from our survey. To make sure you receive your complimentary report summary, let me check the spelling of your name and the address information. (Confirm and record on cover sheet.)





Report Quality Evaluation

To our clients:

To ensure that the highest standards of report quality are maintained, INPUT would appreciate your assessment of this report. Please take a moment to provide your evaluation of the usefulness and quality of this study. When complete, simply fold, staple, and drop in the mail. Postage has been pre-paid by INPUT if mailed in the U.S.

1.	Report title: U.S. Large Systems User Requirements, 1991 (FCNEW-1)				
2.	Please indicate your reason for reading this report: Required reading New product development Area of high interest Business/market planning Systems planning Area of general interest Product planning				
3.	Please indicate extent report used and overall usefulness:				
	Extent Usefulness (1=Low, 5=High) Read Skimmed 1 2 3 4 5				
	Executive Overview				
4.	How useful were:				
	Data presented				
	Analyses				
5.	How useful was the report in these areas:				
	Alert you to new opportunities or approaches				
	Cover new areas not covered elsewhere				
	Confirm existing ideas.				
	Meet expectations				
	Other				
7.	In what ways could the report have been improved?				
8.	Other comments or suggestions:				
	Name Title				
	Department				
	Company				
	Address				
	City State ZIP				
	Telephone Date completed				
	Thank you for your time and cooperation. Mas 633/01 12/89				

FOLD HERE




First Class Permit No. 982 Mountain View, CA

POSTAGE WILL BE PAID BY ADDRESSEE

Attention: Marketing Department

INPUT

1280 Villa Street Mountain View, CA 94041-9912 NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES



FOLD HERE



